


LEGEND	
Aerodrome	
Flight information region (FIR)	
Control area (CTA)	
CTA NAME	CTA MONTEVIDEO
ATS AIRSPACE CLASS	FL 195 UNL A FL 195
UPPER LIMIT	FL 085
LOWER LIMIT	GND
ATS UNIT PROVIDING THE SERVICE	MONTEVIDEO ACC
Terminal control area (TMA)	
TMA NAME	TMA CARRASCO
ATS AIRSPACE CLASS	FL 245
UPPER LIMIT	FL 195
LOWER LIMIT	600 M
ATS UNIT PROVIDING THE SERVICE	CARRASCO APP
Control zone (CTR)	
CTR NAME	CTR CARRASCO
ATS AIRSPACE CLASS	FL 085
UPPER LIMIT	FL 035
ATS UNIT THAT PROVIDES THE SERVICE	CARRASCO APP
ATS AIRSPACE CLASS	
Monday to Friday (except holidays) from 10:00 to 22:00 UTC: Class "C" Others: Class "G"	✳
Monday to Friday (except holidays) from 11:00 to 23:00 UTC: Class "C" Others: Class "G"	✚
Monday to Sunday from 10:00 to 22:00 UTC: Class "C" Others: Class "G"	✚
Monday to Friday from 10:00 to 22:00 UTC: Class "C" Others: Class "G"	✚
Area navigation route (RNAV)	
ROUTE DESIGNATOR	UL324
MAGNETIC BEARING	027°
DISTANCE IN NAUTICAL MILES	43 UNL FL 245
VERTICAL LIMITS	
Reporting point (REP)	
COMPULSORY FLY-BY	▲
A SOLICITUD FLY-BY	△
COMPULSORY FLYOVER	⬆
A SOLICITUD FLYOVER	⬆
ATS/MET reporting point (MRP)	
COMPULSORY	■
ON REQUEST	▣
Restricted airspace	
IDENTIFICATION OR AREA	SU R7
NATIONALITY LETTER	FL 100
VERTICAL LIMITS	GND
P=PROHIBITED R=RESTRICTED D=DANGER	
VHF omnidirectional radio range (VOR)	
COMPASS ROSE ORIENTED BY MAGNETIC NORTH	
Non-directional radio beacon (NDB)	
Distance measuring equipment (DME)	
Collocated VOR and DME radio navigation aids (VOR/DME)	
Identification for Radio navigation Aids (NAVAID)	
NAME	CARRASCO
NAVAID, FREQUENCY, IDENTIFICATION OR CALL SIGN	VOR/DME 116.9 CRR F 34°49'57.8"S 056°01'30.5"W 30 m
GEOGRAPHICAL COORDINATES ELEVATION OF DME SITE (TO THE NEAREST 30 M)	
Isogonal or isogonic line	
Area minimum altitude	
EACH 1° QUADRILATERAL CONTAIN THE AREA MINIMUM ALTITUDE (AMA) THAT REPRESENTS THE LOWEST ALTITUDE TO BE USED UNDER INSTRUMENTAL METEOROLOGICAL CONDITIONS (IMC). THE AMA WILL PROVIDE A MINIMUM CLEARANCE OF 1000 FEET ABOVE ALL OBSTACLES LOCATED IN THE QUADRILATERAL. IT IS REPRESENTED IN THOUSAND AND HUNDRED OF FEET ABOVE MEAN SEA LEVEL.	
EXAMPLE: 2100 FEET	21



COMMUNICATION FACILITIES	
ADAMI	TWR 118.4 - 122.1
ARTIGAS	TWR 122.1
CARMELO	AFIS 122.1
CARRASCO	APP 119.2 - 120.2
COLONIA	TWR 118.1 - 121.8
CURBELO	TWR 120.8 - 122.1
DURAZNO	TWR 118.3 - 122.1
GENERAL ARTIGAS	APP 120.4
MELO	TWR 126.2
MONTEVIDEO	TWR 118.5
PAYSANDU	TWR 118.6 - 122.1
P. del ESTE	ACC 128.5 - 126.3
RIVERA	AFIS 118.2 - 122.1
SALTO	TWR 118.7
TACUAREMBO	TWR 118.0 - 122.1
EMERGENCIA	TWR 118.8 - 122.1
	AFIS 118.9 - 122.1
	121.5


AREA CHART - OACI

CARRASCO TMA

CONVENTIONAL NAVIGATION INTERNATIONAL AND NATIONAL ROUTES

ADAMI TWR 118.4 - 122.1
CARRASCO APP 119.2 - 120.2
CARRASCO TWR 118.1 - 121.8
CURBELO TWR 118.3 - 122.1
GENERAL ARTIGAS TWR 118.5
MONTEVIDEO ACC 128.5 - 126.3
PUNTA del ESTE TWR 118.7
EMERGENCIA 121.5

LEGEND	
Terminal control area (TMA)	
Control zone (CTR)	
Departamental	Dptal.
Reporting point (REP)	COMPULSORY FLY-BY ▲
	ON REQUEST FLY-BY △
	COMPULSORY FLYOVER ●
	ON REQUEST FLYOVER ○
Conventional navigation routes	
Distance in Nautical Miles	30
Upper Limit	UNL
Lower Limit	FL 245
Magnetic bearing	025°
Radio navigation Aid	Name
Identification and frequency	CARRASCO VOR/DME 116.9 CRR 34°49'57.8"S 056°01'30.5"W 30 m
Geographical coordinates	
Elevation of DME site	
Area minimum altitude	
EACH 1° QUADRILATERAL CONTAIN THE AREA MINIMUM ALTITUDE (AMA) THAT REPRESENTS THE LOWEST ALTITUDE TE BE USED UNDER INSTRUMENTAL METEOROLOGICAL CONDITIONS (IMC). THE AMA WILL PROVIDE A MINIMUM CLEARANCE OF 1000 FEET ABOVE ALL OBSTACLES LOCATED IN THE QUADRILATERAL. IT IS REPRESENTED IN THOUSAND AND HUNDRED OF FEET ABOVE MEAN SEA LEVEL.	
EXAMPLE: 2100 FEET	



AREA CHART - OACI

CARRASCO TMA

AREA NAVIGATION ROUTES

ENR 6.1-5
0 JUL 2025

ADAMI TWR	118.4 - 122.1
CARRASCO APP	119.2 - 120.2
CARRASCO TWR	118.1 - 121.8
CURBELO TWR	118.3 - 122.1
GENERAL ARTIGAS TWR	118.5
MONTEVIDEO ACC	128.5 - 126.3
PUNTA del ESTE TWR	118.7
EMERGENCIA	121.5

LEGEND

Terminal control area (TMA)	
Control zone (CTR)	
Departmental	Dptal.
Reporting point (REP)	COMPULSORY FLY-BY
	ON REQUEST FLY-BY
	COMPULSORY FLYOVER
	ON REQUEST FLYOVER
Area navigation route (RNAV)	
Distance in Nautical Miles	
Upper Limit _____	_____ UNL
Lower Limit _____	_____ FL 245
Magnetic bearing	025°


Radio navigation Aid	Name	CARRASCO
Identification and frequency		VOR/DME 116.9
		CRR :≡≡≡
Geographical coordinates		34°49'57.8"S
		056°01'30.5"W
Elevation of DME site		30 m

Area minimum altitude

EACH 1° QUADRILATERAL CONTAIN THE AREA MINIMUM ALTITUDE (AMA) THAT REPRESENTS THE LOWEST ALTITUDE TE BE USED UNDER INSTRUMENTAL METEOROLOGICAL CONDITIONS (IMC). THE AMA WILL PROVIDE A MINIMUM CLEARANCE OF 1000 FEET ABOVE ALL OBSTACLES LOCATED IN THE QUADRILATERAL. IT IS REPRESENTED IN THOUSAND AND HUNDRED OF FEET ABOVE MEAN SEA LEVEL.

EXAMPLE: 2100 FEET

21




VAR, HDG routes

AIS URUGUAY


DURAZNO APP 120.4
TWR 126.2

LEGEND	
Terminal control area (TMA)	
Control zone (CTR)	
ATS airspace class Monday to Friday from 10:00 to 22:00 UTC: Class "C" Others: Class "G"	
Reporting point (REP)	COMPULSORY FLY-BY
	ON REQUEST FLY-BY
	COMPULSORY FLYOVER
	ON REQUEST FLYOVER
Conventional navigation route	
Distance in: Nautical Miles	
Upper Limit	UNL
Lower Limit	FL 245
Magnetic bearing	025°
Radio navigation Aid	Name Identification and frequency Geographical coordinates Elevation of DME site
Area minimum altitude	EACH 1° QUADRILATERAL CONTAIN THE AREA MINIMUM ALTITUDE (AMA) THAT REPRESENTS THE LOWEST ALTITUDE TE BE USED UNDER INSTRUMENTAL METEOROLOGICAL CONDITIONS (IMC). THE AMA WILL PROVIDE A MINIMUM CLEARANCE OF 1000 FEET ABOVE ALL OBSTACLES LOCATED IN THE QUADRILATERAL. IT IS REPRESENTED IN THOUSAND AND HUNDRED OF FEET ABOVE MEAN SEA LEVEL. EXAMPLE: 2100 FEET



The map displays the Montevideo FIR, which is a rectangular area defined by latitudes 30°S to 60°S and longitudes 40°W to 10°W. The FIR is divided into three main sectors: the Montevideo CTA (Control Zone Area) in the south, the Montevideo Oceanic Sector in the center, and the Montevideo Eastern Sector in the east. The FIR is bordered by FIR Curitiba to the west, FIR Ezeiza to the east, and FIR Montevideo to the south. The map also shows the coastline of Uruguay and the Atlantic Ocean. Key coordinates and grid lines are marked throughout the map.

AIR TRAFFIC SERVICES AIRSPACE - TMA, CTR, FIZ, ATZ



From FL 085 up to FL 195, airspace class C.
From GND up to FL 085, airspace class G.

C FL 195
G FL 085
GND

From GND up to 600 M, airspace class C.

ATZ CARRASCO
C 600 M
CARRASCO TWR

MONTEVIDEO OCEANIC SECTOR


MONTEVIDEO EASTERN SECTOR

G UNL
MSL

MSSR ... Monopulse Secondary Surveillance Radar


Monday to Friday (except holidays) from 10:00 to 22:00 UTC: Class "C"; Others: Class "G"	*
Monday to Friday (except holidays) from 11:00 to 23:00 UTC: Class "C"; Others: Class "G"	+
Monday to Sunday from 10:00 to 22:00 UTC: Class "C"; Others: Class "G"	+
Monday to Friday from 10:00 to 22:00 UTC: Class "C"; Others: Class "G"	+

CARRASCO CTR



**INTENTIONALLY
LEFT BLANK**

CURBELO CTR



**INTENTIONALLY
LEFT BLANK**

[illegible]

Change:
Eliminated SU P21

**INTENTIONALLY
LEFT BLANK**

Map of Uruguay showing ADIZ (Air Defense Identification Zones) and various airports. The map includes labels for ADIZ regions and specific airports such as ARTIGAS/Intl, RIVERA/Intl, CURITIBA FIR, MONTEVIDEO FIR, TACUAREMBO/Ad, VICHADERO, MELO/Intl, RIO BRANCO/Ad, TREINTA Y TRES/Ad, DURAZNO/Altn Intl, CARRASCO/Intl, CURBELO/Intl, P. del ESTE/Dptal., SU D8 UNL GND, SU D16 UNL MSL, ZOM 7 FL 100 GND, ZOM 13 ALT 600 M GND, ZOM 8 1000 FT GND, ZOM 5 1000 FT GND, ZOM 5 FL 050 GND, ZOM 5 FL 070 GND, CARMELO/Intl, COLONIA/Intl, MERCEDES/Intl, SALTO/Intl, and PAYSANDU/Intl. A scale bar at the bottom right shows distances in kilometers and nautical miles.


**INTENTIONALLY
LEFT BLANK**

OTHER ACTIVITIES OF A DANGEROUS NATURE - INDEX CHART

NIL.

**INTENTIONALLY
LEFT BLANK**


AERIAL SPORTING AND RECREATIONAL – INDEX CHART



Cambio:
New chart

**INTENTIONALLY
LEFT BLANK**

RADIO FACILITY - INDEX CHART




Station name	Aid	ID	FREQ	COORD
Durazno	VOR/DME	DUR	117.5 MHZ	33°21'22.5"S 056°29'45.8"W
Carrasco	VOR/DME	CRR	116.9 MHZ	34°49'57.8"S 056°01'30.5"W
Curbelo	VOR/DME	LDS	117.6 MHZ	34°51'29.9"S 055°05'30.2"W

LEGEND
Radio navigation aid coverage

**INTENTIONALLY
LEFT BLANK**

BIRD MIGRATION ROUTES - INDEX CHART




Change:
Included AD Vichadero

- | | | | |
|--|--|--|--|
| | SMALL BIRDS | | INVASION OF SUBTROPICAL WILDLIFE AREA. |
| | PLOVER, DUCKS, SMALL CROWS, GARZAS,
SMALL BIRDS AND RAPTOR. | | PLOVER, PLAYEROS, GEESE,
SWANS AND SMALL CROWS. |

**INTENTIONALLY
LEFT BLANK**

BIRD CONCENTRATIONS AND AREAS WITH SENSITIVE FAUNA - INDEX CHART



**INTENTIONALLY
LEFT BLANK**